

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

NEW PRIORITY DATE:

Date of filing in State Engineer's Office - FEB 08 2002 - MAR 7 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 08 2002

The applicant **L. Lance Gilman** hereby make application for permission to change the
Point of Diversion and Place of use of a portion of water heretofore appropriated under **Permit
58375**

1. The source of water is **Underground**
2. The amount of water to be changed **0.00125 c.f.s. (0.9049)**
3. The water to be used for **Irrigation & Domestic**
4. The water heretofore permitted for **Same**
5. The water is to be diverted at the following point **NW¼ SE¼, Section 23, T.16N., R.19E.,
M.D.B.&M., or at a point from which the SE corner of said section 23 bears, S. 37° 13' 08"**
E., a distance of 3238.7 feet
6. The existing permitted point of diversion is located within **SE¼ SE¼, Section 22, T.16N.,
R.19E., M.D.B.&M. or at a point from which the SE corner of said section 22 bears, S. 15° 47'**
20" E., a distance of 1143.77. Please refer to map filed in support of Permit 58375.
7. Proposed place of use **portion of SW¼ NE¼, and the NW¼, SE¼ of section 23, T.16N.,
R.19E., M.D.B.&M**
8. Existing place of use **5 acres within SE¼ SE¼, section 22, T.16N., R.19E., M.D.B.&M,
appurtenant to A.P.N. # 55-200-25 Please refer to map filed in support of permit 58375.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled well, pump & motor, distribution system including a
pond.**
12. Estimated cost of works **\$50,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Permit 58374 and 58375 are supplemental. The total combined duty of this
application and application _____ shall not exceed 0.98 acre feet.**

By **Jack D. Ferris**
s/Jack D. Ferris
580 Mt. Rose Street
Reno, Nevada 89509

Compared my/ cmf lb/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 58375 is issued subject to the terms and conditions imposed in said Permit 58375 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 68482 and 68483 shall not exceed 0.98 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permits 68482 and 68483 are limited to the irrigation of 0.245 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00125 cubic feet per second, but not to exceed 0.9049 acre-feet annually, and not to exceed a yearly duty 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 15, 2004

Proof of completion of work shall be filed before:

December 15, 2004

Water must be placed to beneficial use on or before:

November 15, 2007

Proof of the application of water to beneficial use shall be filed on or before:

December 15, 2007

Map in support of proof of beneficial use shall be filed on or before:

December 15, 2007

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

~~CANCELLED FEB 28 2005~~
~~BECAUSE OF FAILURE~~
~~OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

my hand and the seal of my office,

this 15th day of November, A. D. 2002

~~Hugh Ricci, P.E.~~
~~Can. Rescinded 4-21-05~~ STATE ENGINEER ~~aam~~

Hugh Ricci, P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____